




Your choice for sustainable
quick connect solutions

SAFETY REEL SECOND GENERATION



Technical specifications
Safety Reel G2





Max WP:	16bar
Temp. range:	-20° C - +60° C
Hose length/dim:	30m (11x16mm), 25m (13x18mm), 20m (16x21mm)
Material hose:	PUR/PVC
Media:	Compressed air/water
Connection inlet:	R or NPT thread, 320 or 410 nipple
Connection outlet:	R or NPT thread, eSafe 320 or 410.



Max WP:	16bar
Temp. range:	-20° C - +60° C
Cable length:	25m
Cable dimension:	3x2.5mm ² , 5x2.5mm ²
Material cable:	Rubber H07RN-F
Current (AMP):	16 A
Voltage:	380-400 V (3-phase), 220-240 V
Protection class:	IP44
Power output fully unwound:	11 000 Watt (3-phase), 3500 Watt
Power output fully wound:	7000 Watt (3-phase), 2400 Watt
Connection outlet:	Schucko socket, CH socket, Type E-socket, IEC 60309 "CEE"





Compressed Air/Water reels				
Product num	Description	Gross Weight Kg	Bar code (EAN)	Tariff code
199112620	Hose reel, Large (11x16/30m) R 1/2"	16,5	07391390543486	3917390099
199112621	Hose reel, Large (11x16/30m) 1/2" NPT	16,5	07391390543479	3917390099
199112622	Hose reel, Large (11x16/30m) eSafe 320	16,6	07391390543462	3917390099
199112623	Hose reel, Large (11x16/30m) eSafe 410	16,6	07391390543455	3917390099
199112630	Hose reel, Large (11x16/30m, Hi-Vis) R 1/2"	16,5	07391390543448	3917390099
199112640	Hose reel, Large (13x18/25m) R 1/2"	16,6	07391390543431	3917390099
199112641	Hose reel, Large (13x18/25m) 1/2" NPT	16,6	07391390543424	3917390099
199112642	Hose reel, Large (13x18/25m) eSafe 320	16,7	07391390543417	3917390099
199112643	Hose reel, Large (13x18/25m) eSafe 410	16,7	07391390543400	3917390099
199112650	Hose reel, Large (13x18/25m, Hi-Vis) R 1/2"	16,6	07391390543394	3917390099
199112660	Hose reel, Large (16x21/20m) R 3/4"	16,6	07391390543387	3917390099
199112661	Hose reel, Large (16x21/20m) 3/4" NPT	16,6	07391390543370	3917390099
199112662	Hose reel, Large (16x21/20m) eSafe 410	16,7	07391390543363	3917390099
199112670	Hose reel, Large (16x21/20m, Hi-Vis) R 3/4"	16,6	07391390543493	3917390099
Cable Reels				
199112720	Electric reel, Large (3x2,5mm ² /25m) - Schuko-socket	19,6	07391390543561	8544499590
199112721	Electric reel, Large (3x2,5mm ² /25m) - CH-socket	19,6	07391390543554	8544499590
199112723	Electric reel, Large (3x2,5mm ² /25m) - Type E-socket	19,6	07391390543547	8544499590
199112750	Electric reel, Large (5x2,5mm ² /25m) - IEC 60309 "CEE"	19,7	07391390543509	8544499590



Compressed Air/Water reels				
Product numt	Description	Main group	Market prod. Code	Sales MOQ
199112620	Hose reel, Large (11x16/30m) R 1/2"	18	18L911	1
199112621	Hose reel, Large (11x16/30m) 1/2" NPT	18	18L911	1
199112622	Hose reel, Large (11x16/30m) eSafe 320	18	18L911	1
199112623	Hose reel, Large (11x16/30m) eSafe 410	18	18L911	1
199112630	Hose reel, Large (11x16/30m, Hi-Vis) R 1/2"	18	18L911	1
199112640	Hose reel, Large (13x18/25m) R 1/2"	18	18L911	1
199112641	Hose reel, Large (13x18/25m) 1/2" NPT	18	18L911	1
199112642	Hose reel, Large (13x18/25m) eSafe 320	18	18L911	1
199112643	Hose reel, Large (13x18/25m) eSafe 410	18	18L911	1
199112650	Hose reel, Large (13x18/25m, Hi-Vis) R 1/2"	18	18L911	1
199112660	Hose reel, Large (16x21/20m) R 3/4"	18	18L911	1
199112661	Hose reel, Large (16x21/20m) 3/4" NPT	18	18L911	1
199112662	Hose reel, Large (16x21/20m) eSafe 410	18	18L911	1
199112670	Hose reel, Large (16x21/20m, Hi-Vis) R 3/4"	18	18L911	1
Cable Reels				
199112720	Electric reel, Large (3x2,5mm ² /25m) - Schuko-socket	18	18A911	1
199112721	Electric reel, Large (3x2,5mm ² /25m) - CH-socket	18	18A911	1
199112723	Electric reel, Large (3x2,5mm ² /25m) - Type E-socket	18	18A911	1
199112750	Electric reel, Large (5x2,5mm ² /25m) - IEC 60309 "CEE"	18	18A911	1



Small

356x315x190mm
4.9 kg



Medium

445x410x190mm
5.9kg



Large

570x536x232mm
15kg








- ✓ Safe & easy hose replacement
- ✓ Hose guide
- ✓ Soft stop ball
- ✓ Slow retraction
- ✓ Full flow swivel
- ✓ Easy to install wall bracket



Safe & easy hose replacement – With the smart design of the hose reel you can change the hose in a safe and easy way without taking the reel apart.



Hose guide – The hose guiding ensures that the hose is securely rolled up in the casing without twists or kinks for optimal flow and hose protection.



Soft stop ball – will reduce the risk of tripping accidents as stop ball collapses when stepped on.




Slow retraction – The viscosity brake controls the spring force for safe and slowed down retraction.



Swivel and flow path – Straight through flow path ensures high flow with minimum pressure drop to save energy and increase tool performance.



Easy to install wall bracket - It can easily be fitted or removed from the bracket without using any tools.



New automatic locking mechanism

Easy to Use – Built-in short locking points let the hose lock in place at the perfect length, giving you full mobility and making your work easier.



Easy deactivation and activation of locking mechanism

For applications requiring continuous back-and-forth hose movement without stopping.




PUR/PVC Hose

- Innerlayer in PVC and outer in PUR
- Same hose for both compressed air and water
- Braided
- Flexible
- Less memory than std PUR hose
- Available in both Hi-Vis and std blue







Dim. Box - 591x261x717mm




6 reels per EU pallet



- One box for both Air/Water and cable reels
- Sustainability - Brown box with 1 print color





- **199990138 - Display stand for hose reel**

Due to the weight of the reel you need to have two plates in the bottom of the demo stand.

- **1999901XX – Plate for demostand (new art)**