


# WATER FLOW CHART

DLC, DN12 Aluminum



	Tested by <b>DEAH</b>	Date <b>2020-11-19</b>	Ref. no. <b>6413</b>	Test tube <b>1"</b>	Flow direct. <b>Coupling to Nipple</b>
<b>Temp. 20 °C</b>	<b>Kv: 8,11</b>	Coupling(Socket)	Nipple(Plug)		
Reg. no.	-		-		
CEJN Product	<b>10 150 1299</b>		<b>10 150 6297</b>		
Connection	<b>G1" male (BSP)</b>		<b>G1" male (BSP)</b>		
Remark	-		-		




# WATER FLOW CHART

DLC, DN12 Aluminum



	Tested by <b>DEAH</b>	Date <b>2020-11-19</b>	Ref. no. <b>6413</b>	Test tube <b>1"</b>	Flow direct. <b>Nipple to Coupling</b>
<b>Temp. 20 °C</b>	<b>Kv: 8,29</b>	Coupling(Socket)	Nipple(Plug)		
Reg. no.	-		-		
CEJN Product	<b>10 150 1299</b>		<b>10 150 6297</b>		
Connection	<b>G1" male (BSP)</b>		<b>G1" male (BSP)</b>		
Remark	-		-		






# WATER FLOW CHART

DLC, DN12 Aluminum



	Tested by <b>DEAH</b>	Date <b>2020-11-19</b>	Ref. no. <b>6413</b>	Test tube <b>1"</b>	Flow direct. <b>Coupling to Nipple</b>
<b>Temp. 72 °F</b>	<b>Cv: 9,38</b>	Coupling(Socket)	Nipple(Plug)		
Reg. no.	-		-		
CEJN Product	<b>10 150 1299</b>		<b>10 150 6297</b>		
Connection	<b>G1" male (BSP)</b>		<b>G1" male (BSP)</b>		
Remark	-		-		



# WATER FLOW CHART

DLC, DN12 Aluminum



	Tested by <b>DEAH</b>	Date <b>2020-11-19</b>	Ref. no. <b>6413</b>	Test tube <b>1"</b>	Flow direct. <b>Nipple to Coupling</b>
<b>Temp. 72 °C</b>	<b>Cv: 9,58</b>	Coupling(Socket)	Nipple(Plug)		
Reg. no.	-		-		
CEJN Product	<b>10 150 1299</b>		<b>10 150 6297</b>		
Connection	<b>G1" male (BSP)</b>		<b>G1" male (BSP)</b>		
Remark	-		-		

