


WATER FLOW CHART

Series 287

	Tested by CABDEA	Date 2018-03-07	Ref. no. 5536	Test tube 1/4"	Flow direct. Coupling to Nipple
Temp. 20 °C	Kv: 0,93	Coupling(Socket)	Nipple(Plug)		
Reg. no.	-		-		
CEJN Product	10 287 1222		10 287 6222		
Connection	Female G1/4"		Female G1/4"		
Remark	DN5		DN5		






WATER FLOW CHART

Series 287

	Tested by CABDEA	Date 2018-03-07	Ref. no. 5536	Test tube 1/4"	Flow direct. Nipple to Coupling
Temp. 20 °C	Kv: 1,05	Coupling(Socket)	Nipple(Plug)		
Reg. no.	-		-		
CEJN Product	10 287 1222		10 287 6222		
Connection	Female G1/4"		Female G1/4"		
Remark	DN5		DN5		






WATER FLOW CHART

Series 287

	Tested by CABDEA	Date 2018-03-07	Ref. no. 5536	Test tube 1/4"	Flow direct. Coupling to Nipple
Temp. 68 °F	Cv: 1,08	Coupling(Socket)	Nipple(Plug)		
Reg. no.	-		-		
CEJN Product	10 287 1222		10 287 6222		
Connection	Female G1/4"		Female G1/4"		
Remark	DN5		DN5		



WATER FLOW CHART

Series 287

	Tested by CABDEA	Date 2018-03-07	Ref. no. 5536	Test tube 1/4"	Flow direct. Nipple to Coupling
Temp. 68 °F	Cv: 1,21	Coupling(Socket)	Nipple(Plug)		
Reg. no.	-		-		
CEJN Product	10 287 1222		10 287 6222		
Connection	Female G1/4"		Female G1/4"		
Remark	DN5		DN5		

