



## WATER FLOW CHART SERIES 288

	Tested by <b>DEAH</b>	Date <b>190927</b>	Ref. no. <b>6070</b>	Test tube <b>¼"</b>	Flow direct. <b>Coupling to Nipple</b>
<b>Temp. 20 °C</b>	<b>Kv: 1,21</b>	Coupling(Socket)	Nipple(Plug)		
Reg. no.	-		-		
CEJN Product	<b>10 288 1222</b>		<b>10 288 6222</b>		
Connection	<b>G1/4"(BSP) female</b>		<b>G1/4"(BSP) female</b>		
Remark	-		-		




### WATER FLOW CHART SERIES 288

	Tested by <b>DEAH</b>	Date <b>190927</b>	Ref. no. <b>6070</b>	Test tube <b>¼"</b>	Flow direct. <b>Nipple to Coupling</b>
<b>Temp. 20 °C</b>	<b>Kv: 1,30</b>	Coupling(Socket)	Nipple(Plug)		
Reg. no.	-		-		
CEJN Product	<b>10 288 1222</b>		<b>10 288 6222</b>		
Connection	<b>G1/4"(BSP) female</b>		<b>G1/4"(BSP) female</b>		
Remark	-		-		



### WATER FLOW CHART SERIES 288

	Tested by <b>DEAH</b>	Date <b>190927</b>	Ref. no. <b>6070</b>	Test tube <b>¼"</b>	Flow direct. <b>Coupling to Nipple</b>
<b>Temp. 72 °F</b>	<b>Cv: 1,40</b>	Coupling(Socket)	Nipple(Plug)		
Reg. no.	-		-		
CEJN Product	<b>10 288 1222</b>		<b>10 288 6222</b>		
Connection	<b>G1/4"(BSP) female</b>		<b>G1/4"(BSP) female</b>		
Remark	-		-		



### WATER FLOW CHART SERIES 288

	Tested by <b>DEAH</b>	Date <b>190927</b>	Ref. no. <b>6070</b>	Test tube <b>¼"</b>	Flow direct. <b>Nipple to Coupling</b>
<b>Temp. 72 °C</b>	<b>Cv: 1,50</b>	Coupling(Socket)	Nipple(Plug)		
Reg. no.	-		-		
CEJN Product	<b>10 288 1222</b>		<b>10 288 6222</b>		
Connection	<b>G1/4"(BSP) female</b>		<b>G1/4"(BSP) female</b>		
Remark	-		-		

